

EXHIBIT 51

COPY**COPY**

UDL LABORATORIES, INC.

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

TRANSMITTAL FORM FOR PRODUCT

DATE: January 29, 2007

TRANSMITTAL NO.: A29A3

FROM:
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103TO:
Celsis Laboratory Group
6200 S. Lindbergh Blvd.
St. Louis, MO 63123
Attn: JoAnne Sidwell

DEA #: PU0219902

DEA #: N/A

1-29-07

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot
1 Bottle of 100 100 Tablets	Digitek (digoxin tablets, USP) 125 mcg (0.125 mg) Exp. 11/08	N/A	Actavis (Amide)	60992A1
1 Bottle of 100 100 Tablets	Digitek (digoxin tablets, USP) 250 mcg (0.25 mg) Exp. 12/08	N/A	Actavis (Amide)	61100A1
1 Bottle of 100 100 Tablets	Digitek (digoxin tablets, USP) 250 mcg (0.25 mg) Exp. 12/08	N/A	Actavis (Amide)	61097A1

Note: Test all samples for Assay and Dissolution per current USP and Supplements. See attached Analytical Services Contract and Quote.


SIGNATURE Dave ButcherDATE SHIPPED 1-29-07

Page 1 of 1

PRINTED ON RECYCLED PAPER



Confidential Subject to Protective Order



UDLL 000011361

COPY

UDL LABORATORIES, INC.

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

TRANSMITTAL FORM FOR PRODUCT

DATE: February 12, 2007

TRANSMITTAL NO.: B12A3

FROM:
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103

TO:
RD Laboratories
204 Lange Drive
Washington, MO 63090
Attn: Melissa Heldt

DEA #: PU0219902

DEA #: N/A

2-12-07

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot
8 U/C (10X10) 800 Tablets 80 Cards UD100	15 Digitek (Digoxin) 125 mcg (0.125 mg) Tablets, USP 3, 6, 9, 12, 18, 24 months, and at expiration date shelf life testing	7A666	Amide/Bertek	60929A1

Pkg: UVI
Exp. 7/08

SIGNATURE

Dave Butcher

DATE SHIPPED 2-13-07

Page 1 of 1

PRINTED ON RECYCLED PAPER



 **COPY****UDL LABORATORIES, INC.**

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

TRANSMITTAL FORM FOR PRODUCT**DATE:** April 25, 2007**TRANSMITTAL NO.:** F25A2**FROM:**
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103**TO:**
RD Laboratories
204 Lange Drive
Washington, MO 63090
Attn: Melissa Heldt**DEA #:** PU0219902**DEA #:** N/A

4-26-07

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot

8 U/C (10X10)
800 Tablets
80 Cards
UD100Digitek (Digoxin) 250 mcg (0.25 mg)
Tablets, USP
3, 6, 9, 12, 18, 24 months, and at
expiration date shelf life testing

7C971

Amide/Bertek 61057 17
/MylanPkg: UVI
Exp. 9/08SIGNATURE *David Bertek*DATE SHIPPED 4-26-07

Page 1 of 2

 PRINTED ON RECYCLED PAPER

 **COPY**

UDL LABORATORIES, INC.

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

TRANSMITTAL FORM FOR PRODUCT**DATE:** August 9, 2007**TRANSMITTAL NO.:** K09A3**FROM:**
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103**TO:**
RD Laboratories
204 Lange Drive
Washington, MO 63090
Attn: Melissa Heldt**DEA #:** PU0219902
*12***DEA #:** N/A*8/9/07*

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot
3 U/C (10x30) 900 Tablets 30 Cards PC300	Digitek (Digoxin) 125 mcg (0.125 mg) Tablets, USP 3, 6, 9, 12, 18, 24 months, and at expiration date shelf life testing	7J541	Actavis	70136A1

Pkg: UVI
Exp. 1/09

*ICH Conditions

SIGNATURE *David Burtless*DATE SHIPPED 8-9-07Page 1 of 1 PRINTED ON RECYCLED PAPER

UDL LABORATORIES, INC.

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

 **COPY**

TRANSMITTAL FORM FOR PRODUCT


DATE: October 30, 2007

TRANSMITTAL NO.: P30A3

FROM:
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103TO:
RD Laboratories
204 Lange Drive
Washington, MO 63090
Attn: Melissa Heldt

DEA #: PU0219902

DEA #: N/A

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot
4 U/C (6x30) 720 Tablets 24 Cards CP180	 Digitek (Digoxin) 125 mcg (0.125 mg) Tablets 3, 6, 9, 12, 18, 24 months, and at expiration date shelf life testing Pkg: UVI Exp. 4/09	7P964	Amide/Bertek /Mylan	70300A1

SIGNATURE



DATE SHIPPED

11/1/07

Page 1 of 1

 PRINTED ON RECYCLED PAPER

UDL LABORATORIES, INC.

 **COPY**

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

TRANSMITTAL FORM FOR PRODUCT**DATE:** November 12, 2007**TRANSMITTAL NO.:** S12A1**FROM:**
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103**TO:**
RD Laboratories
204 Lange Drive
Washington, MO 63090
Attn: Melissa Heldt**DEA #:** PU0219902**DEA #:** N/A

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot
4 U/C (6x30) 720 Tablets 24 Cards CP180	Digitek (Digoxin) 250 mcg (0.25 mg) Tablets, USP 3, 6, 9, 12, 18, 20 months, and at expiration date shelf life testing Pkg: UVI Exp. 4/09	7P963	Amide/ Bertek / Mylan	70386A1

SIGNATURE *Dave Butts***DATE SHIPPED** 11-13-07

Page 1 of 1

 PRINTED ON RECYCLED PAPER

UDL LABORATORIES, INC.

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

 **COPY****TRANSMITTAL FORM FOR PRODUCT****DATE:** February 19, 2008**TRANSMITTAL NO.:** B19A1**FROM:**
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103**TO:**
RD Laboratories
204 Lange Drive
Washington, MO 63090
Attn: Melissa Heldt**DEA #:** PU0219902
*3f***DEA #:** N/A*2-20-08*

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot
4 U/C (6x30) 720 Tablets 24 Cards CP180	Digitek (Digoxin) 250 mcg (0.25 mg) Tablets, USP 3, 6, 9, 12, 18, and 24 months shelf life testing	8A332	Amide/ Bertek/ Mylan	70834A1

Pkg: UVI
S-2210, S-9255
Exp. 7/09
Repackaging Date: 2/13/08
Repackaging Release Date: 2/19/08SIGNATURE *Dave Bertek*DATE SHIPPED 2-21-08Page 1 of 1 PRINTED ON RECYCLED PAPER

UDL LABORATORIES, INC.

1718 Northrock Court, Rockford, IL 61103

(815) 282-1201

FAX (815) 282-9391

 **COPY**

TRANSMITTAL FORM FOR PRODUCT

DATE: February 26, 2008

TRANSMITTAL NO.: B26A2

FROM:
UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103TO:
RD Laboratories
204 Lange Drive
Washington, MO 63090
Attn: Melissa Heldt

DEA #: PU0219902

DEA #: N/A

2-26-08

Quantity Sent	Product Sent	UDL Lot	Vendor	Vendor Lot
4 U/C (6x30) 720 Tablets 24 Cards CP180	Digitex (Digoxin) 125 mcg (0.125 mg) Tablets, USP 3, 6, 9, 12, 18, and 24 months shelf life testing	8B371	Amide/ Bertek/Mylan	70770A1

Pkg: UVI
S-2210,S-9255
Exp. 8/09
Repackaging Date: 2/18/08
Repackaging Release Date: 2/21/08

SIGNATURE



DATE SHIPPED 2-27-08

Page 1 of 1

PRINTED ON RECYCLED PAPER



STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30782
 Product: DIGITEK (DIGOXIN)
 Description: 250 mcg (0.25 mg) Tablets USP
 UDL Lot #: 8A332
 Vendor: AMIDE/BERTEK
 Package: CP180 (6X30 U-U)
 Vendor Lot: 70834A1
 PVC Spec: S-2210
 Lidding Spec: S-9255
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 10/07	97.3%	95%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month		
6 Month		
9 Month		
12 Mon.		
18 Mon.		
24 Mon.		
36 Mon. N/A		

Testing Facility: RD

Date Sent: 02/20/08

PO #: B19A1

Interval: Feb

MFG DATA

Mfg Date: 10/07
 Mfg Assay: 97.3%
 Expiration Date: 07/09
 Mfg Dissol: 95%
 LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80%(Q) in 60 minutes

SETDOWN DATE: 02/22/08

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30782
 Product: DIGITEK (DIGOXIN)
 Descrip: 250 mcg (0.25 mg Tablets USP)
 UDL Lot #: 7P963
 Vendor: AMIDE/BERTEK
 Package: CP180 (6X30 U-U) Vendor Lot: 70386A1
 PVC Spec: S-2210 Lidding Spec: S-9255
 Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 05/07	97.1%	96.9%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 02/18/08	97.2%	94%
6 Month		
9 Month		
12 Mon.		
18 Mon.		
24 Mon.		
36 Mon. N/A		

Testing Facility: RD

Date Sent: 11/12/07

PO #: S12A1

Interval: Nov

MFG DATA

Mfg Date: 05/07
 Mfg Assay: 97.1%
 Expiration Date: 04/09
 Mfg Dissol: 96.9%
 LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80%(Q) in 60 minutes

SETDOWN DATE: 11/14/07

Lab. Ref#:

Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN)
 Description: 250 mcg (0.25 mg) Tablets USP
 UDL Lot #: 7C971

Package: UD100 (10X10)
 Vendor: AMIDE/BERTEK
 Vendor Lot: 61057A1

Pkg Matl: UVI
 PVC Spec: S-2210
 Lidding Spec: S-8011

Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 12/06	98.5%	99.6%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 08/01/07	100.0%	98%
6 Month 11/14/07	102.0%	105%
9 Month 02/13/08	96.0%	97%
12 Mon.		
18 Mon.		
24 Mon.		
36 Mon. N/A		

Testing Facility: RD

Date Sent: 04/26/07

PO #: F25A2

Interval: Apr

MFG DATA

Mfg Date: 12/06
 Mfg Assay: 98.5%

Expiration Date: 09/08
 Mfg Dissol: 99.6%

LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80%(Q) in 60 minutes

SETDOWN DATE: 04/30/07

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN)
 Descrpt: 250 mcg (0.25 mg Tablets USP)
 UDL Lot #: 6B968
 Vendor: AMIDE/BERTEK/MYLAN
 Package: UD100 (10X10)
 Vendor Lot: 5655A1
 PVC Spec: S-2210
 Lidding Spec: S-8011
 Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 08-24-05	99.6%	99.7%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 06-06-06	96.4%	90%
6 Month 09-09-06	102.8%	100%
9 Month 12-04-06	99.2%	97%
12 Mon. 02-21-07	97.6%	101%
18 Mon. 08/31/07	97.2%	102%
24 Mon. 02/27/08	98.4%	98%
36 Mon. N/A		

Testing Facility: SA

Date Sent: 2-27-06

PO #: B27A1

Interval: Feb

MFG DATA

Mfg Date: 08/05
 Mfg Assay: 99.6%
 Expiration Date: 08/07
 Mfg Dissol: 99.7%
 LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) in 60 minutes

SETDOWN DATE: 03/01/06

Lab. Ref#: R81729

Comments: Test at exp. date.

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN)
 Descrip: 250 mcg (0.25 mg Tablets USP)
 UDL Lot #: 50455

Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 PVC Spec: S-2210

Shelf Only: Y
 Vendor Lot: 4453A1
 Lidding Spec: S-8011
 Exp Date: 18 mo

pkc Matl: UVI

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 04-19-05	96.0%	96%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 07-14-05	97.6%	98%
6 Month 10-14-05	96.8%	95%
9 Month 01-09-06	100.4%	99%
12 Mon: 04-14-06	96.4%	97%
18 Mon: 08-18-06	94.0%	104% (S2)
24 Mon: 10-09-06	95.2%	100%
36 Mon: 04-13-07	94.4%	91%

Testing Facility: SA

Date Sent: 4-5-05

PO #: F05A1

Interval: Apr

MFG DATA

Mfg Date: 09/04
 Mfg Assay: 100.1%

Expiration Date: 08/06
 Mfg Dissol: 99.7%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) in 60 min.

SETDOWN DATE: 4/6/05

Lab.Ref#: R81353
 Comments: 18M=16M, 24M=18M, 36M=24M

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN)
 Descrip: 250 mcg (0.25 mg Tablets USP)
 UDL Lot #: 4C909

Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 3614A1
 PVC Spec: S-2210
 Lidding Spec: S-8011
 Exp Date: 18 mo

Pkg Matl: UVI
 Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 04-28-04	102.2%	100%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 08-03-04	98.4%	91% (S2)
6 Month 11-08-04	98.4%	98%
9 Month 01-25-05	96.4%	98%
12 Mon. 05-04-05	98.4%	96%
18 Mon. 09-27-05	96.0%	98%
24 Mon. 10-31-05	97.2%	96%
36 Mon. 05-05-06	97.2%	96%

Testing Facility: SA

Date Sent: 4-21-04

PO #: F21A1

Interval: Apr

MFG DATA

Mfg Date: 11/03
 Mfg Assay: 100.6%

Expiration Date: 09/05
 Mfg Dissol: 98.7%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) in 60 min.

SETDOWN DATE: 4/23/04

Lab.Ref#: R80989

Comments: 18 mo = 17 mo, 24 mo = 18 mo, 36 mo = 24 mo

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN)
 Descrip: 250 mcg (0.25 mg Tablets USP)
 UDL Lot #: 3A001

Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 2425A1
 PVC Spec: S-2210
 Lidding Spec: S-7062
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 02/03	96.2%	89%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 05/03	96.6%	90% (S2)
6 Month 08/03	97.7%	98%
9 Month 11/03	98.4%	99%
12 Mon. 02/04	97.8%	97%
18 Mon. 09/01/04	104.0%	90% (S2)
24 Mon. 02/28/05	93.6%	92%
36 Mon. N/A		

Testing Facility: SA

Date Sent: 1-21-03

PO #: A21A2

Interval: Feb

MFG DATA

Mfg Date: 08/02
 Mfg Assay: 98.8%

Expiration Date: 07/04
 Mfg Dissol: 99.7%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) 60 min.

SETDOWN DATE: 2/3/03

Lab.Ref#: R80983

Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN)
 Descrip: 250 mcg (0.25 mg Tablets USP)
 UDL Lot #: 2B584

Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 1334A1
 PVC Spec: S-4371 R2 Lidding Spec: S-7112
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 03/02	94.3%	98%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 06/02	93.8%	99%
6 Month 10/02	95.8%	93%
9 Month 01/03	94.0%	92%
12 Mon. 04/03	94.7%	90%
18 Mon. 10/03	98.1%	93%
24 Mon. 04-23-04	96.4%	96%
36 Mon. N/A		

Testing Facility: SA

Date Sent: 03-20-02

PO #: C20A2

Interval: Mar

MFG DATA

Mfg Date: 09/01
 Mfg Assay: 99.9%

Expiration Date: 08/03
 Mfg Dissol: 100.2%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) 60 min.

SETDOWN DATE: 4/4/02

Lab. Ref#: R80982

Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN), USP
 Descrip: 250 mcg(0.25 mg) Tablets
 UDL Lot #: 1A714
 Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 0094A1
 PVC Spec: S-2210 R5
 Lidding Spec: S-7062 R1
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 03-01-00	100.0%	101%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 05-01-01	94.9%	99%
6 Month N/A		
9 Month 11-01-01	96.0%	96%
12 Mon. 02-01-02	94.8%	98%
18 Mon. 08-01-02	95.1%	90%
24 Mon. 02-01-03	94.0%	90% (S2)
36 Mon. N/A		

Testing Facility: Mylan

Date Sent: 02-14-01

PO #: B14A2

Interval: Feb

MFG DATA

Mfg Date: 03/00
 Mfg Assay: 100%
 Expiration Date: 03/02
 Mfg Dissol: 100.9%
 LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80%/60 min.

SETDOWN DATE: 2/21/01

Lab. Ref#:

Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN), USP
 Descrip: 250 mcg (0.25 mg) Tablets
 UDL Lot #: 0D734
 Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 9606A1
 PVC Spec: S-2210 R5
 Lidding Spec: S-6738 R1
 Exp Date: 18 MO
 Shelf Only: Y
 Pkg Matl: UVI

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 11-23-99	99.1%	100%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 11-01-00	96.3%	99%
6 Month 02-01-01	97.1%	102%
9 Month 05-01-01	96.5%	105%
12 Mon. 08-01-01	96.8%	103%
18 Mon. 02-01-02	96.8%	94%
24 Mon. 08-01-02	93.4%	89% (S2)
36 Mon. N/A		

Testing Facility: MYLAN

Date Sent: 7-25-00

PO #: J25A3

Interval: AUG

MFG DATA

Mfg Date: 11/99
 Mfg Assay: 99.1%
 Expiration Date: 12/01
 Mfg Dissol: 99.6%
 LIMITS: Assay: 90-105%
 Dissol: NLT 80%/60 MIN

SETDOWN DATE: 8/16/00

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30785
 Product: DIGITEK (DIGOXIN), USP
 Descrip: 250 mcg (0.25 mg) Tablets
 UDL Lot #: 0J860

Vendor: AMIDE/BERTEK
 Package: BC300 (10X30)
 Vendor Lot: 9606A1
 PVC Spec: S-6004
 Lidding Spec: S-6118 R2
 Exp Date: 18 MO

Pkg Matl: UVI

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 11-23-99	99.1%	100%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 11-01-00	95.6%	99%
6 Month 02-01-01	95.4%	96%
9 Month 05-01-01	96.9%	102%
12 Mon. 08-01-01	96.4%	102%
18 Mon. 02-01-02	96.9%	91%
24 Mon. 08-01-02	95.5%	100%
36 Mon. N/A		

Testing Facility: MYLAN

Date Sent: 7-25-00

PO #: J25A3

Interval: AUG

MFG DATA

Mfg Date: 11/99
 Mfg Assay: 99.1%

Expiration Date: 12/01
 Mfg Dissol: 99.6%

LIMITS: Assay: 90-105%
 Dissol: NLT 80%/60 MIN

SETDOWN DATE: 8-3-00

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN), USP
 Description: 250 mcg (0.25mg) TABLETS
 UDL Lot #: 9-03-374
 Vendor: AMIDE/BERTEK
 Package: UD 100
 Vendor Lot: 9074A1
 PVC Spec: S-4371 R2
 Lidding Spec: S-6583
 Shelf Only: N
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial	99.3%	97%
30-Day	97.0%	95%
60-Day	96.8%	96%
90-Day	97.7%	91%

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month	99.2%	100%
6 Month	95.6%	91%
9 Month	94.8%	109%
12 Mon.	95.3%	94% (S2)
18 Mon.	93.9%	96%
24 Mon.	98.7%	98%
36 Mon.	N/A	

Testing Facility: Mylan

Date Sent: 04-20-99

PO #: F20A3

Interval: MAY

MFG DATA

Mfg Date: 03/99
 Mfg Assay: 99.3%
 Expiration Date:
 Mfg Dissol: 96.6%
 LIMITS: Assay: 90-105%
 Dissol: NLT 80% 60 MIN

SETDOWN DATE: 5/3/99

Lab. Ref#:

Comments: 9 mo retest (Amide): A-97.8%, D-100%

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30780
 Product: DIGITEK (DIGOXIN), USP
 Descrip: 250 mcg (0.25 mg Tablets)
 UDL Lot #: 0-03-177
 Vendor: AMIDE
 Package: UD100 (10X10)
 Vendor Lot: 0039A1
 PVC Spec: S-6628
 Lidding Spec: S-6903
 Exp Date: 18 mo
 Shelf Only: N

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 02-07-00	98.9%	102%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 08-01-00	95.4%	100%
6 Month 11-01-00	96.5%	98%
9 Month 02-01-01	94.3%	104%
12 Mon. 05-01-01	98.4%	95%
18 Mon. 11-01-01	94.9%	100%
24 Mon. 05-01-02	94.5%	103%
36 Mon. N/A		

Testing Facility: MYLAN

Date Sent: 5-4-00

PO #: H04A1

Interval: MAY

MFG DATA

Mfg Date: 02/00
 Mfg Assay: 98.9%

Expiration Date:

Mfg Dissol: 102.1%

LIMITS: Assay: 90-105%
 Dissol: NLT 80%/60 MIN

SETDOWN DATE: 5-15-00

Lab. Ref#:

Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30772
 Product: DIGITEK (DIGOXIN)
 Descrip: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 8B371

Vendor: AMIDE/BERTEK
 Package: CPI80 (6X30 U-U)
 Vendor Lot: 70770A1
 PVC Spec: S-2210
 Lidding Spec: S-9255
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 09/07	97.7%	97%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month		
6 Month		
9 Month		
12 Mon.		
18 Mon.		
24 Mon.		
36 Mon. N/A		

Testing Facility: RD

Date Sent: 02/26/08

PO #: B26A2

Interval: Feb

MFG DATA

Mfg Date: 09/07
 Mfg Assay: 97.7%

Expiration Date: 08/09
 Mfg Dissol: 97%

LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80%(Q) in 60 minutes

SETDOWN DATE: 02/28/08

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30771
 Product: DIGITEK (DIGOXIN)
 Description: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 7J541

Package: PC300 (10X30)
 Vendor Lot: 70136A1
 PVC Spec: S-8034
 Lidding Spec: S-9256
 Exp Date: 18 mo

Vendor: ACTAVIS

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 02/07	99.0%	98.7%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 11/14/07	101.6%	108%
6 Month 02/13/08	103.2%	91% (S2)
9 Month		
12 Mon.		
18 Mon.		
24 Mon.		
36 Mon. N/A		

Testing Facility: RD

Date Sent: 08/09/07

PO #: K09A3

Interval: Aug

MFG DATA

Mfg Date: 02/07
 Mfg Assay: 99.0%

Expiration Date: 01/09
 Mfg Dissol: 98.7%

LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80% (Q) in 60 minutes

SETDOWN DATE: 08/10/07

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30772
 Product: DIGITEK (DIGOXIN)
 Descrpt: 125 mcg(0.125mg) Tablets USP
 UDL Lot #: 7P964
 Vendor: AMIDE/BERTEK
 Package: CP180
 Vendor Lot: 70300A1
 PVC Spec: S-2210
 Lidding Spec: S-9255
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 04/07	100.8%	101.3%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 02/13/08	100.0%	99%
6 Month		
9 Month		
12 Mon.		
18 Mon.		
24 Mon.		
36 Mon. N/A		

Testing Facility: RD

Date Sent: 10/31/07

PO #: P30A3

Interval: Oct

MFG DATA

Mfg Date: 04/07
 Mfg Assay: 100.8%
 Expiration Date: 04/09
 Mfg Dissol: 101.3%
 LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80%(Q) in 60 minutes

SETDOWN DATE: 11/02/07

Lab.Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN)
 Descrpt: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 7A666
 Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 60929A1
 PVC Spec: S-2210
 Lidding Spec: S-8011
 Shelf Only: Y
 Exp Date: 18 MO

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 02/12/07	98.4%	100.6%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 05/24/07	94.4%	97%
6 Month 08/21/07	96.0%	108%
9 Month 12/05/07	101.6%	92% (S2)
12 Mon. 02/18/08	99.2%	88%
18 Mon.		
24 Mon.		
36 Mon. N/A		

Testing Facility: RD

Date Sent: 02/12/07

PO #: B12A3

Interval: FEB

MFG DATA

Mfg Date: 10/06
 Mfg Assay: 98.4%
 Expiration Date: 07/08
 Mfg Dissol: 100.6%
 LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80% (Q) IN 60 MINUTES

SETDOWN DATE: 02/14/07

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN)
 Descrip: 0.125 mg Tablets
 UDL Lot #: 6M207

Vendor: AMIDE/BERTEK
 Package: UD100
 Vendor Lot: 60399A1
 Lidding Spec: S-8011
 Exp Date: 18 mo

Pkg Matl: UVI

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 05/06	98.5%	99.7%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 02/21/07	96.8%	101%
6 Month 05/18/07	96.8%	98%
9 Month 08/22/07	96.0%	94%
12 Mon. 11/26/07	98.4%	95%
18 Mon. 03/13/08	95.2%	94%
24 Mon.		
36 Mon. N/A		

Testing Facility: SA

Date Sent: 11/15/06

PO #: S15A2

Interval: Nov

MFG DATA

Mfg Date: 05/06
 Mfg Assay: 98.5%

Expiration Date: 03/08
 Mfg Dissol: 99.7%

LIMITS: Assay: 90.0%-105.0%
 Dissol: NLT 80% (Q) in 60 min

Lab.Ref#:
 Comments:

SETDOWN DATE: 11/17/06

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30774
 Product: DIGITEK (DIGOXIN)
 Description: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 6K999

Package: UD300 (10X30)
 Vendor Lot: 60036A1
 Vendor: AMIDE/BERTEK

Pkg Matl: UVI
 PVC Spec: S-8034
 Lidding Spec: S-8810

Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 01/30/06	99.0%	99.9%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 12-04-06	97.6%	97%
6 Month 02-21-07	95.2%	97%
9 Month 05/24/07	97.6%	96%
12 Mon. 08/22/07	97.6%	95%
18 Mon. 02/27/08	96.0%	97%
24 Mon.		
36 Mon. N/A		

Testing Facility: SA

Date Sent: 08-21-06

PO #: K21A4

Interval: Aug

MFG DATA

Mfg Date: 01/06
 Mfg Assay: 99.0%

Expiration Date: 01/08
 Mfg Dissol: 99.9%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) in 60 min

SETDOWN DATE: 08/23/06

Lab. Ref#: R81865
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN)
 Description: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 5A113

Package: UD100 (10X10)
 Vendor: AMIDE/BERTEK
 Vendor Lot: 4277A1
 PVC Spec: S-2210
 Lidding Spec: S-8011
 Exp Date: 18 mo

Pkg Matl: UVI
 Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 2/7/05	98.0%	95%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 05-04-05	100.8%	102%
6 Month 07-29-05	98.4%	93%
9 Month 10-31-05	96.0%	87%
12 Mon. 02-03-06	100.0%	101%
18 Mon. 07/10/06	96.0%	94%
24 Mon. 08-01-06	97.6%	100%
36 Mon. 01-29-07	96.0%	102%

Testing Facility: SA

Date Sent: 1/27/05

PO #: A27A1

Interval: Feb

MFG DATA

Mfg Date: 06/04
 Mfg Assay: 100.3%

Expiration Date: 06/06
 Mfg Dissol: 98.9%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) in 60 min.

SETDOWN DATE: 1/28/05

Lab. Ref#: R81282

Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30774
 Product: DIGITEK (DIGOXIN)
 Descrpt: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 5F568
 Vendor: AMIDE/BERTEK
 Package: UD300 (10X30)
 Vendor Lot: 4611A1
 PVC Spec: S-8034
 Lidding Spec: S-8092
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 05-17-05	97.6%	102%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 08-15-05	98.4%	101%
6 Month 11-18-05	96.0%	102%
9 Month 02-07-06	97.6%	98%
12 Mon. 05-15-06	98.4%	96%
18 Mon. 10-09-06	96.8%	105%
24 Mon. 11-10-06	93.6%	95%
36 Mon. 05-11-07	96.8%	96%

Testing Facility: SA

Date Sent: 5-3-05

PO #: H03A1

Interval: May

MFG DATA

Mfg Date: 11/04
 Mfg Assay: 99.9%
 Expiration Date: 10/06
 Mfg Dissol: 99.3%
 LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) in 60 min.

SETDOWN DATE: 5/5/05

Lab.Ref#: R81376
 Comments: 18M=17M, 24M=18M, 36M=24M

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN)
 Description: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 4F010
 Shelf Only: Y
 Vendor: AMIDE
 Package: UD100 (10X10)
 Vendor Lot: 3563A1
 PVC Spec: S-2210
 Lidding Spec: S-8011
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 06-15-04	97.6%	102%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 09-01-04	100.0%	109%
6 Month 11-29-04	95.2%	93%
9 Month 02-28-05	94.4%	89%
12 Mon. 05-31-05	96.0%	93%
18 Mon. 10-31-05	96.0%	92%
24 Mon. 12-03-05	94.4%	94%
36 Mon. 06-06-06	94.4%	94%

Testing Facility: SA

Date Sent: 5-18-04

PO #: H18A1

Interval: Jun

MFG DATA

Mfg Date: 10/03
 Mfg Assay: 100.5%
 Expiration Date: 10/05
 Mfg Dissol: 99.9%
 LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) in 60 min.

SETDOWN DATE: 5/20/04

Lab.Ref#: R81028

Comments: 18 mo = 17 mo, 24 mo = 18 mo, 36 mo = 24 mo

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30774
 Product: DIGITEK (DIGOXIN)
 Descrip: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 4P849

Package: UD300 (10X30)
 PVC Spec: S-8034

Vendor: AMIDE/BERTEK
 Vendor Lot: 4152A1
 Lidding Spec: S-8092

Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 11-12-04	96.8%	96%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 02-07-05	96.7%	95%
6 Month 05-09-05	97.6%	99%
9 Month 08-15-05	96.8%	93%
12 Mon. 11-18-05	96.0%	98%
18 Mon. 04-14-06	97.6%	91%
24 Mon. 05-15-06	98.4%	99%
36 Mon. 11-10-06	96.0%	96%

Testing Facility: SA

Date Sent: 11-3-04

PO #: S03A1

Interval: Nov

MFG DATA

Mfg Date: 04/04
 Mfg Assay: 99.7%

Expiration Date: 04/06

Mfg Dissol: 99.4%

LIMITS: Assay: 90.0% - 105.0%

Dissol: NLT 80% (Q) in 60 min.

SETDOWN DATE: 11/5/04

Lab.Ref#: R81183

Comments: 18 mo = 17 mo, 24 mo = 18 mo, 36 mo = 24 mo

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN)
 Descrip: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 3A075

Package: UD100 (10X10)
 Vendor: AMIDE/BERTEK
 Vendor Lot: 2546A1
 PVC Spec: S-2210
 Lidding Spec: S-7062

Pkg Matl: UVI
 Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 02/03	96.2%	91%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 05/03	95.5%	87% (S2)
6 Month 08/03	98.9%	98%
9 Month 11/03	99.0%	98%
12 Mon. 02/04	98.9%	102%
18 Mon. 09/01/04	100.0%	100%
24 Mon. 02/28/05	94.4%	93%
36 Mon. N/A		

Testing Facility: SA

Date Sent: 02-12-03

PO #: B12A1

Interval: Mar

MFG DATA

Mfg Date: 10/02
 Mfg Assay: 100.0%

Expiration Date: 07/04
 Mfg Dissol: 99.4%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) 60 min.

Lab. Ref#: R80980

Comments:

SETDOWN DATE: 2/20/03

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30775
 Product: DIGITEK (DIGOXIN)
 Descrip: 125 mcg (0.125mg) Tablets USP
 UDL Lot #: 3C335

Vendor: AMIDE/BERTEK
 Package: BC300 (10X30)
 PVC Spec: S-6004
 Lidding Spec: S-6118

Shelf Only: Y
 Vendor Lot: 2547A1
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 04/03	Not Tested per	R & D.
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 07/03	100.5%	94%
6 Month 10/03	99.9%	91%
9 Month 01/04	100.8%	101%
12 Mon. 04/23/04	99.5%	103%
18 Mon. 10-20-04	98.1%	110%
24 Mon. 04-19-05	96.0%	99%
36 Mon. N/A		

Testing Facility: SA

Date Sent: 04-09-03

PO #: F09A3

Interval: Apr

MFG DATA

Mfg Date: 10/02
 Mfg Assay: 100.7%

Expiration Date: 09/04
 Mfg Dissol: 96.8%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) 60 min.

Lab. Ref#: R80981
 Comments:

SETDOWN DATE: 4/14/03

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN)
 Descrip: 125 mcg (0.125mg Tablets USP)
 UDL Lot #: 2C738

Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 1477A1
 PVC Spec: S-2210 R5
 Lidding Spec: S-7062 R1
 Exp Date: 18 mo

Pkg Matl: UVI
 Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial N/A	MISSED	
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 07/02	94.6%	84% (S2)
6 Month 10/02	95.3%	84% (S2)
9 Month 01/03	91.8%	86% (S2)
12 Mon. 04/03	93.6%	88% (S2)
18 Mon. 10/03	97.1%	97%
24 Mon. 04/23/04	95.9%	98%
36 Mon. N/A		

Testing Facility: SA

Date Sent: 03-28-02

PO #: C28A2

Interval: Apr

MFG DATA

Mfg Date: 12/01
 Mfg Assay: 99.7%

Expiration Date: 09/03
 Mfg Dissol: 97.3%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) 60 min.

SETDOWN DATE: 4/5/02

Lab.Ref#: R80979

Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30775
 Product: DIGITEK (DIGOXIN)
 Descrip: 125 mcg(0.125mg) Tablets USP
 UDL Lot #: 2B600
 Vendor: AMIDE/BERTEK
 Package: BC300 (10X30)
 Vendor Lot: 1392A1
 PVC Spec: S-6004
 Lidding Spec: S-6118 R2
 Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 03/02	93.8%	89%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 06/02	91.3%	93%
6 Month 10/02	93.7%	95%
9 Month 01/03	93.0%	98%
12 Mon. 04/03	93.7%	102%
18 Mon. 10/03	96.5%	99%
24 Mon. 04/23/04	96.8%	99%
36 Mon. N/A		

Testing Facility: SA

Date Sent: 02-25-02

PO #: B25A2

Interval: Feb

MFG DATA

Mfg Date: 10/01
 Mfg Assay: 98.6%
 Expiration Date: 08/03
 Mfg Dissol: 101.8%
 LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) 60 min.

SETDOWN DATE: 4/4/02

Lab. Ref#: R80978
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN), USP
 Descrip: 125 mcg(0.125mg) Tablets
 UDL Lot #: 1B784
 Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 0393A1
 PVC Spec: S-2210 R5
 Lidding Spec: S-7062 R1
 Exp Date: 18 mo

Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 2-27-01	100.5%	101%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 06-01-01	96.1%	104%
6 Month 09-01-01	96.4%	106%
9 Month 12-01-01	98.1%	101%
12 Mon. 03-01-02	96.2%	95%
18 Mon. 09-01-02	92.5%	87% (S2)
24 Mon. 03-01-03	93.4%	87% (S2)
36 Mon. N/A		

Testing Facility: Mylan

Date Sent: 02-27-01

PO #: B27A3

Interval: Mar

MFG DATA

Mfg Date: 10/00
 Mfg Assay: 100.5%
 Expiration Date: 08/02
 Mfg Dissol: 100.8%
 LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80%/60 min.

SETDOWN DATE: 03/05/01

Lab.Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30775
 Product: DIGITEK (DIGOXIN)
 Description: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 1P038

Package: BC300 (10X30)
 Vendor: AMIDE/BERTEK
 Vendor Lot: 1126A1
 PVC Spec: S-6004
 Lidding Spec: S-6118 R2
 Exp Date: 18 mo

Pkg Matl: UVI
 Shelf Only: Y

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 12/01	96.6%	103%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 03/02	94.0%	100%
6 Month 06/02	93.2%	94%
9 Month 10/02	95.3%	98%
12 Mon. 01/03	93.8%	90% (S2)
18 Mon. 08/03	96.5%	103%
24 Mon. 02/04	96.5%	96%
36 Mon. N/A		

Testing Facility: Mylan

Date Sent: 11-07-01

PO #: S07A1

Interval: Nov

MFG DATA

Mfg Date: 04/01
 Mfg Assay: 99.0%

Expiration Date: 04/03
 Mfg Dissol: 99.2%

LIMITS: Assay: 90.0% - 105.0%
 Dissol: NLT 80% (Q) 60 min.

Lab. Ref#: N/A

Comments:

SETDOWN DATE: 1/4/02

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN), USP
 Descrpt: 125 mcg(0.125mg) Tablets
 UDL Lot #: 0D757
 Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 Vendor Lot: 0097A1
 PVC Spec: S-2210 R5
 Lidding Spec: S-6738 R1
 Exp Date: 18 MO
 Shelf Only: Y
 Pkg Matl: UVI

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 02-19-00	100.4%	99%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 11-01-00	97.0%	96%
6 Month 02-01-01	95.9%	100%
9 Month 05-01-01	98.0%	101%
12 Mon. 08-01-01	96.7%	102%
18 Mon. 02-01-02	97.0%	102%
24 Mon. 08-01-02	94.0%	88% (S2)
36 Mon. N/A		

Testing Facility: MYLAN

Date Sent: 7-25-00

PO #: J25A3

Interval: AUG

MFG DATA

Mfg Date: 02/00
 Mfg Assay: 100.4%

Expiration Date: 12/01
 Mfg Dissol: 99.3%

LIMITS: Assay: 90-105%
 Dissol: NLT 80%/60 MIN

SETDOWN DATE: 08-16-00

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30775
 Product: DIGITEK (DIGOXIN), USP
 Descrip: 125 mcg(0.125mg) Tablets
 UDL Lot #: 0J859

Package: BC300 (10X30)
 Vendor: AMIDE/BERTEK
 Vendor Lot: 0097A1
 PVC Spec: S-6004
 Lidding Spec: S-6118 R2
 Shelf Only: Y
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial 02-19-00	100.4%	99%
30-Day N/A		
60-Day N/A		
90-Day N/A		

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month 11-01-00	95.6%	100%
6 Month 02-01-01	96.2%	95%
9 Month 05-01-01	98.0%	102%
12 Mon. 08-01-01	96.6%	101%
18 Mon. 02-01-02	97.4%	100%
24 Mon. 08-01-02	96.9%	99%
36 Mon. N/A		

Testing Facility: MYLAN

Date Sent: 7-25-00

PO #: J25A3

Interval: AUG

MFG DATA

Mfg Date: 02/00
 Mfg Assay: 100.4%

Expiration Date: 01/02
 Mfg Dissol: 99.3%

LIMITS: Assay: 90-105%
 Dissol: NLT 80%/60 MIN

SETDOWN DATE: 8/16/00

Lab. Ref#:
 Comments:

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN)
 Descrip: 125 mcg (0.125 m Tablets USP)
 UDL Lot #: 9-03-373

Vendor: AMIDE/BERTEK
 Package: UD100 (10X10)
 PVC Spec: S-4371 R2
 Lidding Spec: S-6583

Shelf Only: N
 Vendor Lot: 9029A1
 Exp Date: 18 mo

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial	02-01-99 99.1%	97%
30-Day	06-03-99 100.8%	100%
60-Day	07-03-99 94.7%	94%
90-Day	08-03-99 95.4%	93%

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month	08-01-99 95.6%	95% (S2)
6 Month	11-01-99 92.9%	93% (S2)
9 Month	02-01-00 93.1%	98%
12 Mon.	05-01-00 93.9%	91% (S2)
18 Mon.	11-01-00 94.6%	87%
24 Mon.	05-01-01 96.9%	97%
36 Mon.	N/A	

Testing Facility: Mylan

Date Sent: 04-20-99

PO #: F20A3

Interval: MAY

MFG DATA

Mfg Date: 02/99
 Mfg Assay: 99.1%

Expiration Date:
 Mfg Dissol: 97.4%

LIMITS: Assay: 90-105%
 Dissol: NLT 80% 60 MIN

Lab. Ref#:

Comments: 9 mo retest (Amide): A-98.8%, D 98%

SETDOWN DATE: 5/3/99

STABILITY TEST RESULTS

Date: May 2, 2008

Item No.: 30770
 Product: DIGITEK (DIGOXIN), USP
 Descrip: 125 mcg (0.125 m Tablets)
 UDL Lot #: 0-03-176

Vendor: AMIDE
 Package: UD100 (10X10)
 Vendor Lot: 0041A1
 PVC Spec: S-6628
 Lidding Spec: S-6903
 Exp Date: N/A

Pkg Matl: ACIAR
 Shelf Only: N

ACCELERATED TESTING:

Date	Assay Results	Dissolution
Initial	98.5%	98%
30-Day	93.7%	97%
60-Day	93.3%	94%
90-Day	94.8%	107%

SHELF-LIFE TESTING:

Date	Assay Results	Dissolution
3 Month	94.3%	106%
6 Month	96.2%	89%
9 Month	94.0%	97%
12 Mon.	98.7%	96%
18 Mon.	95.1%	101%
24 Mon.	94.0%	101%
36 Mon. N/A		

Testing Facility: MYLAN

Date Sent: 5-4-00

PO #: H04A1

Interval: May

MFG DATA

Mfg Date: 01/00
 Mfg Assay: 98.5%

Expiration Date:
 Mfg Dissol: 97.8%

LIMITS: Assay: 90-105%
 Dissol: NLT 80%/60 MIN

Lab. Ref#:
 Comments:

SETDOWN DATE: 5-15-00